

CERTIFICATE OF ACCREDITATION

Kyung-In Synthetic Corporation, Chemical Testing & Analysis Center

Accreditation No. : KT627

Corporation Registration No. : 120111-0005703

Address of Laboratory : 69 75 Gil Yangcheon-Ro, Kangseo-Gu, Seoul, Korea

date of Initial Accreditation : June 13, 2014

Duration : June 13, 2018 ~ June 12, 2022

Scope of Accreditation : Attached Annex

Date of issue : April 21, 2020

This testing laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025 : 2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated 8 January 2009).



LEE Seung Woo

Administrator

Korea Laboratory Accreditation Scheme

Korea Laboratory Accreditation Scheme

No. KT627

02. Chemical Test

02.026 Textile

Test method	Standard designation	Test range	Field testing
KS K ISO 105-B02:2014	Textiles-Tests for colour fastness - Part B02: Colour fastness to artificial light: Xenon arc fading lamp test	(1 ~ 8) Grade	N
KS K ISO 105-C06:2010	Textiles-Tests for colour fastness - Part C06: Colour fastness to domestic and commercial laundering	(1 ~ 5) Grade	N
KS K ISO 105-C10:2006	Textiles-Tests for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda	(1 ~ 5) Grade	N
KS K ISO 105-E01:2013	Textiles-Tests for colour fastness - Part E01: Colour fastness to water	(1 ~ 5) Grade	N
KS K ISO 105-E02:2013	Textiles-Tests for colour fastness - Part E02: Colour fastness to sea water	(1 ~ 5) Grade	N
KS K ISO 105-E04:2013	Textiles-Tests for colour fastness - Part E04: Colour fastness to perspiration	(1 ~ 5) Grade	N
ISO 105-B02:2014	Textiles-Tests for colour fastness - Part B02: Colour fastness to artificial light: Xenon arc fading lamp test	(1 ~ 8) Grade	N
ISO 105-B07:2009	Textiles-Tests for colour fastness - Part B07: Colour fastness to light of textiles wetted with artificial perspiration	(1 ~ 5) Grade	N
ISO 105-C06:2010	Textiles-Tests for colour fastness - Part C06: Colour fastness to domestic and commercial laundering	(1 ~ 5) Grade	N
ISO 105-C10:2006	Textiles-Tests for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda	(1 ~ 5) Grade	N
ISO 105-E01:2013	Textiles-Tests for colour fastness - Part E01: Colour fastness to water	(1 ~ 5) Grade	N
ISO 105-E02:2013	Textiles-Tests for colour fastness - Part E02: Colour fastness to sea water	(1 ~ 5) Grade	N
ISO 105-E03:2010	Textiles-Tests for colour fastness - Part E03: Colour fastness to chlorinated water (swimming-pool water)	(1 ~ 5) Grade	N

Korea Laboratory Accreditation Scheme

No. KT627

02.026 Textile

Test method	Standard designation	Test range	Field testing
ISO 105-E04:2013	Textiles-Tests for colour fastness - Part E04: Colour fastness to perspiration	(1 ~ 5) Grade	N
BS EN ISO 14362-1:2017	Textiles-Methods for determination of certain aromatic amines derived from azo colorants. Part1: Detection of the use of certain azo colorants accessible with and without extracting the fibres (ISO 14362-1:2017)	20 mg/kg or more	N
BS EN ISO 14362-3:2017	Textiles-Methods for determination of certain aromatic amines derived from azo colorants. Part3: Detection of the use of certain azo colorants, which may release 4-aminoazobenzene (ISO 14362-3:2017)	20 mg/kg or more	N
DIN EN 17137:2019	Textiles-Determination of the content of compounds based on chlorobenzenes and chlorotoluenes; English version EN 17137:2019, English translation of DIN EN 17137:2019-02	0.1 mg/kg or more	N

Korea Laboratory Accreditation Scheme

No. KT627

02.026 Textile

Test method	Standard designation	Test range	Field testing
LMBG 82.02-8:2001	Untersuchung von Bedarfsgegenständen Nachweis und Bestimmung von Pentachlorophenol in Bedarfsgegenständen, insbesondere aus Leder und Textilien (Referenzverfahren)	0.1 mg/kg or more	N
ISO 14184-1:2011	Textiles-Determination of formaldehyde - Part 1: Free and hydrolysed formaldehyde (water extraction method)	16 mg/kg or more	N
KS K ISO 14184-1:1998	Textiles-Determination of formaldehyde - Part 1: Free and hydrolyzed formaldehyde (water extraction method)	20 mg/kg or more	N
KS K 0731:2017	Test method for determination of extractable heavy metals content in textiles	Co :0.5 mg/kg or more As :0.1 mg/kg or more Ni :0.5 mg/kg or more Cd :0.1 mg/kg or more Cr :0.5 mg/kg or more Pb :0.1 mg/kg or more Hg :0.01 mg/kg or more Cu :1.0 mg/kg or more Sb :5.0 mg/kg or more Cr(M) :0.3 mg/kg or more	N
KS K 0736:2019	Test method for determination of allergenic disperse dyes content in textiles	20 mg/kg or more	N
KS K 0735:2017	Test method for determination of carcinogenic dyes content in textiles	20 mg/kg or more	N
ISO 3071:2020	Textiles-Determination of pH of aqueous extract	(200~1200) pH range, 0.01 pH	N
KS K ISO 3071:2005	Textiles-Determination of pH of aqueous extract	(200~1200) pH range, 0.01 pH	N

Korea Laboratory Accreditation Scheme

No. KT627

02.027 Leather

Test method	Standard designation	Test range	Field testing
BS EN ISO 17234-1 :2015	Leather-Chemical tests for the determination of certain azo colorants in dyed leathers Part 1 : Determination of certain aromatic amines derived from azo colorants	20 mg/kg or more	N
BS EN ISO 17234-2:2011	Leather. Chemical tests for the determination of certain azo colorants in dyed leathers. Part 2 :Determination of 4-aminoazobenzene(ISO 17234-2:2011)	20 mg/kg or more	N
ISO 17234-1:2015	Leather-Chemical tests for the determination of certain azo colorants in dyed leathers - Part1: Determination of certain aromatic amines derived from azo colorants	20 mg/kg or more	N
ISO 17234-2:2011	Leather-Chemical tests for the determination of certain azo colorants in dyed leathers - Part2: Determination of 4-aminoazobenzene	20 mg/kg or more	N
KS M ISO 17234-1:2015	Leather-Chemical tests for determination of certain azo colourants in dyed leathers - Part1: Determination of certain aromatic amines derived from azo colorants	20 mg/kg or more	N
KS M ISO 17234-2:2011	Leather-Chemical tests for the determination of certain azo colorants in dyed leathers - Part2: Determination of 4-aminoazobenzene	20 mg/kg or more	N
ISO 17070:2015	Leather-Chemical tests-Determination of tetrachlorophenol-, trichlorophenol-, dichlorophenol-, monochlorophenol-isomers and pentachlorophenol content	0.1 mg/kg or more	N
KS M ISO 17070:2015	Leather-Chemical tests-Determination of tetrachlorophenol-, trichlorophenol-, dichlorophenol-, monochlorophenol-isomers and pentachlorophenol content	0.1 mg/kg or more	N
LMBG 82.02-8:2001	Untersuchung von Bedarfsgegenständen Nachweis und Bestimmung von Pentachlorophenol in Bedarfsgegenständen, insbesondere aus Leder und Textilien (Referenzverfahren)	0.1 mg/kg or more	N

Korea Laboratory Accreditation Scheme

No. KT627

02.027 Leather

Test method	Standard designation	Test range	Field testing
DIN EN ISO 17075-1:2017	Leather-Chemical determination of chromium(VI) content in leather - Part1: Colorimetric method (ISO 17075-1:2017)	3 mg/kg or more	N
KS M ISO 17075:2007	Leather-Chemical tests - Determination of chromium(VI) content	3 mg/kg or more	N
ISO 17226-1:2018	Leather-Chemical determination of formaldehyde content - Part1: Method using high performance liquid chromatography	1 mg/kg or more	N
ISO 17226-2:2018	Leather-Chemical determination of formaldehyde content - Part2: Method using colorimetric analysis	9 mg/kg or more	N
ISO 17226-3:2011	Leather-Chemical determination of formaldehyde content - Part3: Determination of formaldehyde emissions from leather	1 mg/kg or more	N
KS M ISO 17226-1:2018	Leather-Chemical determination of formaldehyde content - Part1: Method using high performance liquid chromatography	1 mg/kg or more	N
KS M ISO 17226-2:2018	Leather-Chemical determination of formaldehyde content - Part2: Method using colorimetric analysis	9 mg/kg or more	N
KS M ISO 17226-3:2011	Leather-Chemical determination of formaldehyde content - Part3 : Determination of formaldehyde emissions from leather	1 mg/kg or more	N
ISO 4045:2018	Leather-Chemical tests-Determination of pH and difference figure	(2.00~12.00) pH range, 0.01 pH	N
KS M ISO 4045:2018	Leather-Chemical tests-Determination of pH and difference figure	(2.00~12.00) pH range, 0.01 pH	N

End.